Contents of volume 205

No 1–2: pp 1–102 published September 1995
No 3–4: pp 103–202 published November 1995
No 5–6: pp 203–320 published January 1996
No 7–8: pp 321–498 published May 1996

Abdelhay E → Vanario-Alonso CE
Akasaka K → Murakami R
Alonso L → Marsh-Armstrong N
Andéol Y, Lefresne J, Houillon Ch, Signoret J: Differential stability of *Xenopus c-myc* RNA during oogenesis in axolotl. Involvement of the 3′ untranslated region in vivo 182
Andéol Y, Lefresne J, Signoret J: Evidence for a nuclear factor involved in *c-myc* RNA degradation during axolotl oocyte maturation 192
Artero RD → López AJ

Bacon JP → Cantera R
Bernardini S, Cannata SM, La Mesa G, Filoni S: The relationship of innervation and differentiation to regenerative capacity in the reamputated hindlimb of larval *Xenopus laevis* 252
Bernardini S → Cannata SM
Besson MT, Chareyre P, Deléage G, Demont J, Quennedey B, Courrent A, Fourche J, Bosquet G: Isolation and characterization of *Urbain*, a 20-hydroxyecdysone-inducible gene expressed during morphogenesis of *Bombyx mori* wing imaginal discs 333
Bhojwani J, Singh A, Misquitta L, Mishra A, Sinha P: Search for *Drosophila* genes based on patterned expression of mini-*white* reporter gene of a P *lacW* vector in adult eyes 114
Biliński S, Klag J, Kubrakiewicz J: Hymenopteran oocytes: subcortical microtubule network separates the periplasm from the endoplasm and is responsible for maintaining the position of accessory nuclei 54
Borchiellini C, Coulon J, Le Parco Y: The function of type IV collagen during *Drosophila* embryogenesis 468
Bosquet G → Besson MT
Bossinger O, Wiegner O, Schierenberg E: Embryonic gut differentiation in nematodes: endocytosis of macromolecules and its experimental inhibition 494
Boyan GS, Williams JLD, Reichert H: Organization of a midline proliferative cluster in the embryonic brain of the grasshopper 45
Boyer B → Reiter D
Brodland GW, Scott MJ, MacLean AF, Globus M, Vethamany-Globus S, Gordon R, Veldhuis JH, Del Maestro R: Morphogenetic movements during axolotl neural tube formation tracked by digital imaging 311
Bulgakov AA → Dolmatov IY

Cannata SM, Bernardini S, Filoni S: Lens formation from cornea implanted into amputated hindlimbs of *Xenopus laevis* larvae requires innervation or proliferating cell populations in the stump 443
Cannata SM → Bernardini S
Cantera R, Thompson KSJ, Hallberg E, Nässel DR, Bacon JP: Migration of neurons between ganglia in the metamorphosing insect nervous system 10
Carvalho JC → Vanario-Alonso CE
Cattani EG → Nardi JB
Chareyre P → Besson MT
Couderc J-L → Sahut-Barnola I
Coulon J → Borchiellini C
Courrent A → Besson MT

Damen P, Dictus WJAG: Spatial and temporal coincidence of induction processes and gap-junctional communication in *Patella vulgata* (Mollusca, Gastropoda) 401
Dastugue B → Sahut-Barnola I
Degnan BM, Groppe JC, Morse DE: Chymotrypsin mRNA expression in digestive gland amoebocytes: cell specification occurs prior to metamorphosis and gut morphogenesis in the gastropod, *Haliotis rufescens* 97
Del Maestro R → Brodland GW
Deléage G → Besson MT
Demont J → Besson MT
Denburg JL → Rajan I
Dictus WJAG → Damen P
Docquier F, Saget O, Forquignon F, Randsholt NB, Santamaria P: The *multi sex combs* gene of *Drosophila melanogaster* is required for proliferation of the germline 203
Dolmatov IY, Eliseikina MG, Bulgakov AA, Ginanova TT, Lamash NE, Korchagin VN: Muscle regeneration in the holothurian *Stichopus japonicus* 486
Dorresteijn AWC → Luetjens CM
Dowling JE → Marsh-Armstrong N
Dräger U → Marsh-Armstrong N

Eliseikina MG → Dolmatov IY

Fässler PE, Sander K: Hilde Mangold (1898–1924) and Spemann's organizer: achievement and tragedy 323
Filoni S → Bernardini S
Filoni S → Cannata SM
Forquignon F → Docquier F
Fourche J → Besson MT
Fu Y, Izumo S: Cardiac myogenesis: overexpression of *XCsx2* o*XMEF2A* in whole *Xenopus* embryos induces the precocious expression of *XMHCα* gene 198
Fuke M, Numakunai T: Establishment of self-sterility of eggs in the ovary of the solitary ascidian, *Halocynthia roretzi* 391
Fukuda K → Urase K

Gajewski M, Leitz T, Schloßherr J, Plickert G: LWamides from Cnidaria constitute a novel family of neuropeptides with morphogenetic activity 232
Garesse R → Manzanares M
Gendre N → Stocker RF
Gilbert W → Marsh-Armstrong N
Ginanova TT → Dolmatov IY
Globus M → Brodland GW
González-Gaitán M → Schmidt-Ott U
Gordon R → Brodland GW
Groppe JC → Degnan BM
Guszkiewicz A → Karasiewicz J

Hallberg E → Cantera R
Harris K-L → Whitington PM
Hartfelder K, Köstlin K, Hepperle C: Ecdysteroid-dependent protein synthesis in caste-specific development of the larval honey bee ovary 73
Hepperle C → Hartfelder K
Hirata K → Yamamoto D
Hiruma K → Li W-C
Houillon Ch → Andéol Y
Hujer A, Lesh-Laurie GE: Effect of mono- and divalent cations on polyp morphogenesis in isolated tentacles of *Aurelia aurita* (Scyphozoa) 122
Hyatt G → Marsh-Armstrong N

Ikegami Y → Yamamoto D
Imoh H: Establishment and movement of egg regions revealed by the size class of yolk platelets in *Xenopus laevis* 128
Ishii Y → Urase K
Izumo S → Fu Y

Jost W, Yu Y, Pick L, Preiss A, Maier D: Structure and regulation of the fushi tarazu gene from *Drosophila* hydei 160

Karasiewicz J, Szablisty E, Guszkiewicz A, Kossakowski M, Stefanski G, Reed M, Modlinski JA: Development of isolated sheep inner cell masses/embryonic discs in vitro 437
Katagiri C → Tonegawa A
Katow H, Komazaki S: Spatio-temporal expression of pamlin during early embryogenesis in sea urchin and importance of *N*-linked glycosylation for the glycoprotein function 371
Kawakita M → Murakami R
Khaner O: Axis formation in half blastoderms of the chick: stage at separation and the relative positions of fused halves influence axis development 364
Kirby ML → Wang S
Klag J → Biliński S
Klose M: Development of leg chordotonal sensory organs in normal and heat shocked embryos of the cricket *Teleogryllus commodus* (Walker) 344
Komazaki S → Katow H
Kondo S → Yamamoto D
Korchagin VP → Dolmatov IY
Kossakowski M → Karasiewicz J
Kostetskii I, Linask KK, Zile MH: Vitamin A deficiency and the expression of retinoic acid receptors during early cardiogenesis in quail embryo 260
Köstlin K → Hartfelder K

Kronnie G te → Stevens CJM
Kubrakiewicz J → Biliński S

La Mesa G → Bernardini S
Ladurner P → Reiter D
Lamash NE → Dolmatov IY
Lane JD, Stebbings H: Reorganisation of microtubule arrays in the telotrophic ovaries of hemipteran insects: Correlation with meiotic reinitiation 150
Le Parco Y → Borchiellini C
Leach D → Whitington PM
Lefresne J → Andéol Y
Leitz T → Gajewski M
Lesh-Laurie GE → Hujer A
Li W-C, Hiruma K, Riddiford LM: Hormonally-regulated differential expression of the two duplicated insecticyanin genes, *ins-a* and *ins-b*, during development of the tobacco hornworm, *Manduca sexta* 81
Linask KK → Kostetskii I
López AJ, Artero RD, Pérez-Alonso M: Stage, tissue, and cell specific distribution of alternative *Ultrabithorax* mRNAs and protein isoforms in the *Drosophila* embryo 450
Luetjens CM, Dorresteijn AWC: Multiple, alternative cleavage patterns precede uniform larval morphology during normal development of *Dreissena polymorpha* (Mollusca, Lamellibranchia) 138

MacLean AF → Brodland GW
Maier D → Jost W
Mair G → Reiter D
Manzanares M, Williams T, Marco R, Garesse R: Segmentation in the crustacean *Artemia*: engrailed staining studied with an antibody raised against the *Artemia* protein 424
Marco R → Manzanares M
Marsh-Armstrong N, McCaffery P, Hyatt G, Alonso L, Dowling JE, Gilbert W, Dräger U: Retinoic acid in the anteroposterior patterning of the zebrafish trunk 103
Matsuo T → Yamamoto D
Matsushita S: Fate mapping study of the endoderm of the 1.5-day-old chick embryo 225
McCaffery P → Marsh-Armstrong N
Mishra A → Bhojwani J
Misquitta L → Bhojwani J
Miyamoto H → Yamamoto D
Modlinski JA → Karasiewicz J
Moriya M → Tonegawa A
Morse DE → Degnan BM
Murakami R, Shigenaga A, Kawakita M, Takimoto K, Yamaoka I, Akasaka K, Shimada H: *aproctous*, a locus that is necessary for the development of the proctodeum in *Drosophila* embryos, encodes a homolog of the vertebrate *Brachyury* gene 89

Nakamura H, Tashiro K, Shiokawa K: Isolation of *Xenopus* HGF gene promoter and its functional analysis in embryos and animal caps 300
Nardi JB, Cattani EG: Expression of a cell surface protein during morphogenesis of the reproductive system in *Manduca sexta* embryos. Both moths and mammals have an indifferent stage of genital differentiation 21
Nässel DR → Cantera R
Nihonmatsu I → Yamamoto D
Nishimatsu S → Tonegawa A
Numakunai T → Fuke M

Oofusa K, Yoshizato K: Thyroid hormone-dependent expression of bullfrog tadpole collagenase gene 243

Pérez-Alonso M → López AJ
Pick L → Jost W
Plickert G → Gajewski M
Preiss A → Jost W

Quennedey B → Besson MT

Rajan I, Denburg JL: Error correction during guidance of pioneer axons in the leg of the cockroach embryo 476
Randsholt NB → Docquier F
Reed M → Karasiewicz J
Reichert H → Boyan GS
Reiter D, Boyer B, Ladurner P, Mair G, Salvenmoser W, Rieger R: Differentiation of the body wall musculature in *Macrostomum hystricinum marinum* and *Hoploplana inquilina* (Plathelminthes), as models for muscle development in lower Spiralia 410
Riddiford LM → Li W-C
Rieger R → Reiter D

Saget O → Docquier F
Sahut-Barnola I, Dastugue B, Couderc J-L: Terminal filament cell organization in the larval ovary of *Drosophila melanogaster*: ultrastructural observations and pattern of divisions 356
Sakamoto N → Urase K
Salvenmoser W → Reiter D
Samallo J → Stevens CJM
Sander K → Fässler PE
Santamaria P → Docquier F
Schierenberg E → Bossinger O
Schipper H → Stevens CJM
Schloßherr J → Gajewski M
Schmidt-Ott U, González-Gaitán M, Technau GM: Analysis of neural elements in head-mutant *Drosophila* embryos suggests segmental origin of the optic lobes 31
Scott MJ → Brodland GW
Shigenaga A → Murakami R
Shimada H → Murakami R
Shimizu T: Behaviour of centrosomes in early *Tubifex* embryos: asymmetric segregation and mitotic cycle-dependent duplication 290
Shiokawa K → Nakamura H
Signoret J → Andéol Y
Silva TMC → Vanario-Alonso CE
Singh A → Bhojwani J
Sinha P → Bhojwani J
Stebbings H → Lane JD
Stefanski G → Karasiewicz J
Stevens CJM, Kronnie G te, Samallo J, Schipper H, Stroband HWJ: Isolation of carp cDNA clones, representing developmentally-regulated genes, using a subtractive-hybridization strategy 460
Stocker RF, Tissot M, Gendre N: Morphogenesis and cellular proliferation pattern in the developing antennal lobe of *Drosophila melanogaster* 62
Stroband HWJ → Stevens CJM
Sutton R → Vanario-Alonso CE
Szablisty E → Karasiewicz J

Tada M → Tonegawa A
Takimoto K → Murakami R
Tashiro K → Nakamura H
Technau GM → Schmidt-Ott U
Thompson KSJ → Cantera R
Tissot M → Stocker RF
Tonegawa A, Moriya M, Tada M, Nishimatsu S, Katagiri C, Ueno N: Heart formative factor(s) is localized in the anterior endoderm of early *Xenopus* neurula 282

Ueno N → Tonegawa A
Urase K, Fukuda K, Ishii Y, Sakamoto N, Yasugi S: Analysis of mesenchymal influence on the pepsinogen gene expression in the epithelium of chicken embryonic digestive tract 382

Vanario-Alonso CE, Sutton R, Carvalho JC, Yussa M, Silva TMC, Abdelhay E: Embryonic expression of the *engrailed* homologue of *Rhynchosciara americana* 432
Veldhuis JH → Brodland GW
Vethamany-Globus S → Brodland GW

Wang S, Kirby ML: Expression pattern of chick *achaete-scute* homologue (CASH) associated with mid-embryogenesis (stages 23 to 28) 1
Weber J: The development of cnidarian stinging cells: maturation and migration of stenoteles of *Hydra vulgaris* 171
Whitington PM, Harris K-L, Leach D: Early axonogenesis in the embryo of a primitive insect, the silverfish *Ctenolepisma iongicaudata* 272
Wiegner O → Bossinger O
Williams JLD → Boyan GS
Williams T → Manzanares M

Yamamoto D, Nihonmatsu I, Matsuo T, Miyamoto H, Kondo S, Hirata K, Ikegami Y: Genetic interactions of *pokkuri* with *seven in absentia*, *tramtrack* and downstream components of the *sevenless* pathway in R7 photoreceptor induction in *Drosophila melanogaster* 215
Yamaoka I → Murakami R
Yasugi S → Urase K
Yoshizato K → Oofusa K
Yu Y → Jost W
Yussa M → Vanario-Alonso CE

Zile MH → Kostetskii I